


Passscheiben DIN 988

Shim Washers DIN 988



Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 3	6	0,10	0,001	5.000
PS 3	6	0,15	0,001	5.000
PS 3	6	0,20	0,004	5.000
PS 3	6	0,25	0,007	5.000
PS 3	6	0,30	0,010	5.000
PS 3	6	0,50	0,010	5.000
PS 3	6	1,00	0,020	5.000
PS 4	8	0,10	0,002	5.000
PS 4	8	0,15	0,014	5.000
PS 4	8	0,20	0,008	5.000
PS 4	8	0,30	0,010	5.000
PS 4	8	0,50	0,014	5.000
PS 4	8	1,00	0,030	5.000
PS 5	10	0,10	0,010	5.000
PS 5	10	0,15	0,008	5.000
PS 5	10	0,20	0,008	2.500
PS 5	10	0,25	0,010	2.500
PS 5	10	0,30	0,010	2.500
PS 5	10	0,50	0,024	2.500
PS 5	10	1,00	0,044	2.500
PS 6	12	0,10	0,010	5.000
PS 6	12	0,20	0,010	2.500
PS 6	12	0,25	0,020	2.500
PS 6	12	0,30	0,020	2.500
PS 6	12	0,50	0,030	2.500
PS 6	12	1,00	0,070	2.000
PS 6	12	1,20	0,080	1.000
PS 7	13	0,10	0,006	5.000
PS 7	13	0,20	0,010	2.000
PS 7	13	0,30	0,020	2.000
PS 7	13	0,50	0,040	2.000
PS 7	13	1,00	0,070	1.000
PS 8	14	0,10	0,010	5.000
PS 8	14	0,15	0,020	5.000
PS 8	14	0,20	0,020	2.000
PS 8	14	0,25	0,020	2.000

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 8	14	0,30	0,030	2.000
PS 8	14	0,50	0,040	2.000
PS 8	14	1,00	0,080	1.000
PS 9	15	0,10	0,008	5.000
PS 9	15	0,15	0,008	5.000
PS 9	15	0,20	0,010	2.000
PS 9	15	0,25	0,010	2.000
PS 9	15	0,30	0,030	2.000
PS 9	15	0,50	0,050	2.000
PS 9	15	1,00	0,090	1.000
PS 10	16	0,10	0,010	5.000
PS 10	16	0,15	0,020	2.000
PS 10	16	0,20	0,020	2.000
PS 10	16	0,25	0,020	2.000
PS 10	16	0,30	0,030	2.000
PS 10	16	0,50	0,045	2.000
PS 10	16	1,00	0,088	1.000
PS 10	16	1,20	0,014	1.000
PS 10	16	1,50	0,170	500
PS 10	16	2,00	0,180	500
PS 11	17	0,15	0,008	500
PS 11	17	0,15	0,008	500
PS 11	17	0,20	0,020	2.000
PS 11	17	0,25	0,030	2.000
PS 11	17	0,30	0,030	2.000
PS 11	17	0,50	0,050	2.000
PS 11	17	1,00	0,010	1.000
PS 11	17	1,50	0,010	1.000
PS 12	18	0,10	0,010	5.000
PS 12	18	0,15	0,020	5.000
PS 12	18	0,20	0,020	2.000
PS 12	18	0,25	0,030	2.000
PS 12	18	0,30	0,030	2.000
PS 12	18	0,50	0,060	1.000
PS 12	18	1,00	0,110	1.000
PS 12	18	1,20	0,129	500

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 13	19	0,10	0,010	5.000
PS 13	19	0,15	0,020	5.000
PS 13	19	0,20	0,020	2.000
PS 13	19	0,25	0,040	2.000
PS 13	19	0,30	0,040	2.000
PS 13	19	0,50	0,060	1.000
PS 13	19	1,00	0,120	1.000
PS 13	19	1,20	0,150	1.000
PS 14	20	0,10	0,010	5.000
PS 14	20	0,15	0,020	5.000
PS 14	20	0,20	0,030	2.000
PS 14	20	0,25	0,030	2.000
PS 14	20	0,30	0,040	2.000
PS 14	20	0,50	0,060	1.000
PS 14	20	1,00	0,130	1.000
PS 14	20	1,20	0,140	1.000
PS 15	21	0,10	0,020	2.000
PS 15	21	0,15	0,020	2.000
PS 15	21	0,20	0,030	2.000
PS 15	21	0,25	0,030	2.000
PS 15	21	0,30	0,040	2.000
PS 15	21	0,50	0,070	1.000
PS 15	21	1,00	0,130	1.000
PS 15	21	1,20	0,160	1.000
PS 15	21	1,50	0,180	1.000
PS 15	22	0,10	0,020	2.000
PS 15	22	0,15	0,015	2.000
PS 15	22	0,20	0,030	2.000
PS 15	22	0,25	0,040	2.000
PS 15	22	0,30	0,050	2.000
PS 15	22	0,50	0,080	1.000
PS 15	22	1,00	0,160	1.000
PS 15	22	1,20	0,190	1.000
PS 16	22	0,10	0,016	2.000
PS 16	22	0,15	0,020	2.000
PS 16	22	0,20	0,020	2.000

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 16	22	0,20	0,020	2.000
PS 16	22	0,25	0,030	2.000
PS 16	22	0,30	0,040	2.000
PS 16	22	0,50	0,070	1.000
PS 16	22	1,00	0,140	1.000
PS 16	22	1,20	0,170	1.000
PS 16	22	2,00	0,280	1.000
PS 17	24	0,10	0,020	2.000
PS 17	24	0,15	0,030	2.000
PS 17	24	0,20	0,030	2.000
PS 17	24	0,25	0,040	2.000
PS 17	24	0,30	0,050	1.000
PS 17	24	0,50	0,090	2.000
PS 17	24	1,00	0,180	1.000
PS 17	24	1,20	0,210	1.000
PS 18	25	0,10	0,020	2.000
PS 18	25	0,15	0,030	2.000
PS 18	25	0,20	0,040	2.000
PS 18	25	0,25	0,050	2.000
PS 18	25	0,30	0,060	1.000
PS 18	25	0,50	0,090	1.000
PS 18	25	1,00	0,190	1.000
PS 18	25	1,20	0,200	500
PS 18	25	1,50	0,240	500
PS 19	26	0,10	0,020	2.000
PS 19	26	0,15	0,030	2.000
PS 19	26	0,20	0,040	2.000
PS 19	26	0,25	0,050	1.000
PS 19	26	0,30	0,060	1.000
PS 19	26	0,50	0,100	1.000
PS 19	26	1,00	0,190	500
PS 19	26	1,20	0,230	500
PS 20	28	0,10	0,020	2.000
PS 20	28	0,15	0,040	1.000
PS 20	28	0,20	0,050	1.000
PS 20	28	0,25	0,060	1.000

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 20	28	0,30	0,070	1.000
PS 20	28	0,50	0,120	1.000
PS 20	28	1,00	0,220	500
PS 20	28	1,20	0,280	500
PS 20	28	1,50	0,350	500
PS 20	28	2,00	0,440	500
PS 22	30	0,10	0,030	2.000
PS 22	30	0,15	0,040	2.000
PS 22	30	0,20	0,050	1.000
PS 22	30	0,25	0,060	1.000
PS 22	30	0,30	0,080	1.000
PS 22	30	0,50	0,130	1.000
PS 22	30	1,00	0,260	500
PS 22	30	1,20	0,310	500
PS 22	30	1,50	0,390	500
PS 22	32	0,10	0,030	2.000
PS 22	32	0,15	0,045	2.000
PS 22	32	0,20	0,070	1.000
PS 22	32	0,25	0,080	1.000
PS 22	32	0,30	0,100	1.000
PS 22	32	0,50	0,170	1.000
PS 22	32	0,10	0,330	500
PS 22	32	1,20	0,400	500
PS 22	32	1,50	0,500	500
PS 25	32	0,10	0,040	2.000
PS 25	35	0,15	0,050	1.000
PS 25	35	0,20	0,070	1.000
PS 25	35	0,25	0,090	1.000
PS 25	35	0,30	0,110	1.000
PS 25	35	0,50	0,190	1.000
PS 25	35	1,00	0,340	500
PS 25	35	1,20	0,440	500
PS 25	35	1,50	0,480	500
PS 25	36	0,10	0,040	2.000
PS 25	36	0,15	0,050	2.000
PS 25	36	0,20	0,080	2.000

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 25	36	0,25	0,100	1.000
PS 25	36	0,30	0,120	1.000
PS 25	36	0,50	0,210	1.000
PS 25	36	1,00	0,410	500
PS 25	36	1,20	0,520	500
PS 25	36	1,50	0,050	500
PS 26	37	0,10	0,040	1.000
PS 26	37	0,15	0,060	1.000
PS 26	37	0,20	0,090	1.000
PS 26	37	0,25	0,110	1.000
PS 26	37	0,30	0,130	1.000
PS 26	37	0,50	0,210	500
PS 26	37	1,00	0,430	500
PS 26	37	1,20	0,520	500
PS 26	37	1,50	0,640	250
PS 28	40	0,10	0,050	1.000
PS 28	40	0,15	0,080	1.000
PS 28	40	0,20	0,100	1.000
PS 28	40	0,25	0,130	1.000
PS 28	40	0,30	0,150	1.000
PS 28	40	0,50	0,250	500
PS 28	40	1,00	0,500	500
PS 28	40	1,20	0,600	250
PS 28	40	1,50	0,750	250
PS 28	40	2,00	0,820	250
PS 30	42	0,10	0,050	1.000
PS 30	42	0,15	0,080	1.000
PS 30	42	0,20	0,110	1.000
PS 30	42	0,25	0,130	1.000
PS 30	42	0,30	0,140	1.000
PS 30	42	0,50	0,270	500
PS 30	42	1,00	0,519	500
PS 30	42	1,20	0,640	500
PS 30	42	1,50	0,800	250
PS 30	42	2,00	0,990	200
PS 32	45	0,10	0,060	1.000

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 32	45	0,15	0,080	1.000
PS 32	45	0,20	0,120	1.000
PS 32	45	0,25	0,160	1.000
PS 32	45	0,30	0,190	1.000
PS 32	45	0,50	0,310	500
PS 32	45	1,00	0,620	250
PS 32	45	1,20	0,740	250
PS 32	45	1,50	0,930	250
PS 32	45	2,00	1,240	200
PS 35	45	0,10	0,045	1.000
PS 35	45	0,15	0,080	1.000
PS 35	45	0,20	0,100	1.000
PS 35	45	0,25	0,120	1.000
PS 35	45	0,30	0,150	1.000
PS 35	45	0,50	0,250	500
PS 35	45	1,00	0,500	250
PS 35	45	1,20	0,590	250
PS 35	45	1,50	0,740	250
PS 35	45	2,00	0,950	200
PS 36	45	0,10	0,050	1.000
PS 36	45	0,15	0,050	1.000
PS 36	45	0,20	0,090	1.000
PS 36	45	0,25	0,110	1.000
PS 36	45	0,30	0,140	1.000
PS 36	45	0,50	0,230	500
PS 36	45	1,00	0,450	250
PS 36	45	1,20	0,560	250
PS 36	45	1,50	0,680	250
PS 36	45	2,00	0,859	200
PS 37	47	0,10	0,050	1.000
PS 37	47	0,15	0,080	1.000
PS 37	47	0,20	0,100	1.000
PS 37	47	0,25	0,120	1.000
PS 37	47	0,30	0,160	1.000
PS 37	47	0,50	0,260	500
PS 37	47	1,00	0,520	250

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 37	47	1,20	0,620	250
PS 37	47	1,50	0,770	250
PS 37	47	2,00	1,030	200
PS 40	50	0,10	0,060	500
PS 40	50	0,15	0,080	500
PS 40	50	0,20	0,110	500
PS 40	50	0,25	0,140	250
PS 40	50	0,30	0,170	250
PS 40	50	0,50	0,300	100
PS 40	50	1,00	0,560	100
PS 40	50	1,20	0,670	100
PS 40	50	1,50	0,830	100
PS 40	50	2,00	1,110	100
PS 42	52	0,10	0,040	500
PS 42	52	0,15	0,084	500
PS 42	52	0,20	0,110	500
PS 42	52	0,25	0,160	250
PS 42	52	0,30	0,170	250
PS 42	52	0,50	0,307	100
PS 42	52	1,00	0,580	100
PS 42	52	1,20	0,690	100
PS 42	52	1,50	0,870	100
PS 42	52	2,00	1,150	100
PS 45	55	0,10	0,060	500
PS 45	55	0,15	0,090	500
PS 45	55	0,20	0,120	500
PS 45	55	0,25	0,150	250
PS 45	55	0,30	0,160	250
PS 45	55	0,50	0,279	200
PS 45	55	1,00	0,620	100
PS 45	55	1,20	0,740	100
PS 45	55	1,50	0,930	100
PS 45	55	2,00	1,240	100
PS 45	56	0,10	0,070	500
PS 45	56	0,15	0,080	500
PS 45	56	0,20	0,140	500

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 45	56	0,25	0,140	250
PS 45	56	0,30	0,200	250
PS 45	56	0,50	0,340	200
PS 45	56	1,00	0,680	100
PS 45	56	1,20	1,010	100
PS 45	56	1,50	1,020	100
PS 45	56	2,00	1,360	100
PS 48	60	0,10	0,074	500
PS 48	60	0,15	1,070	100
PS 48	60	0,20	0,160	500
PS 48	60	0,25	0,170	250
PS 48	60	0,30	0,240	250
PS 48	60	0,50	0,400	200
PS 48	60	1,00	0,790	100
PS 48	60	1,20	1,030	100
PS 48	60	1,50	1,065	100
PS 48	60	2,00	1,600	100
PS 50	62	0,10	0,080	500
PS 50	62	0,15	0,130	500
PS 50	62	0,20	0,170	500
PS 50	62	0,25	0,210	250
PS 50	62	0,30	0,250	250
PS 50	62	0,50	0,440	100
PS 50	62	1,00	0,830	100
PS 50	62	1,20	1,000	100
PS 50	62	1,50	1,240	100
PS 50	62	2,00	1,660	100
PS 50	63	0,10	0,090	500
PS 50	63	0,15	0,120	500
PS 50	63	0,20	0,180	500
PS 50	63	0,25	0,260	250
PS 50	63	0,30	0,270	250
PS 50	63	0,50	0,460	200
PS 50	63	1,00	0,910	100
PS 50	63	1,20	1,240	100
PS 50	63	1,50	1,360	100

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 50	63	2,00	1,820	100
PS 52	65	0,10	0,090	500
PS 52	65	0,15	0,120	500
PS 52	65	0,20	0,190	500
PS 52	65	0,25	0,250	250
PS 52	65	0,30	0,280	250
PS 52	65	0,50	0,470	100
PS 52	65	1,00	0,940	100
PS 52	65	1,20	1,350	100
PS 52	65	1,50	1,410	100
PS 52	65	2,00	1,880	100
PS 55	68	0,10	1,000	500
PS 55	68	0,15	0,160	500
PS 55	68	0,20	0,200	500
PS 55	68	0,25	0,250	250
PS 55	68	0,30	0,308	250
PS 55	68	0,50	0,490	100
PS 55	68	1,00	0,980	100
PS 55	68	1,20	1,330	100
PS 55	68	1,50	1,400	100
PS 55	68	2,00	1,960	100
PS 56	70	0,10	0,110	500
PS 56	70	0,15	0,210	500
PS 56	70	0,20	0,220	500
PS 56	70	0,25	0,320	250
PS 56	70	0,30	0,330	250
PS 56	70	0,50	0,550	200
PS 56	70	1,00	1,090	100
PS 56	70	1,20	1,570	100
PS 56	70	1,50	1,640	100
PS 56	70	2,00	2,180	100
PS 56	72	0,10	0,130	500
PS 56	72	0,15	0,190	500
PS 56	72	0,20	0,250	500
PS 56	72	0,25	0,320	250
PS 56	72	0,30	0,380	250

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 56	72	0,50	0,640	200
PS 56	72	1,00	1,270	100
PS 56	72	1,20	1,350	100
PS 56	72	1,50	1,900	100
PS 56	72	2,00	2,540	100
PS 60	75	0,10	0,130	500
PS 60	75	0,15	0,190	500
PS 60	75	0,20	0,420	500
PS 60	75	0,25	0,280	250
PS 60	75	0,30	0,380	250
PS 60	75	0,50	0,630	100
PS 60	75	1,00	1,400	100
PS 60	75	1,20	1,500	100
PS 60	75	1,50	1,870	100
PS 60	75	2,00	2,400	50
PS 63	80	0,10	0,150	500
PS 63	80	0,15	0,230	500
PS 63	80	0,20	0,300	500
PS 63	80	0,30	0,450	250
PS 63	80	0,50	0,700	100
PS 63	80	1,00	1,500	100
PS 63	80	1,20	1,760	100
PS 63	80	1,50	2,250	100
PS 63	80	2,00	3,000	50
PS 65	85	0,10	0,160	500
PS 65	85	0,15	0,270	500
PS 65	85	0,20	0,370	500
PS 65	85	0,25	0,460	250
PS 65	85	0,30	0,240	250
PS 65	85	0,50	0,930	200
PS 65	85	1,00	1,850	100
PS 65	85	1,20	2,120	100
PS 65	85	1,50	2,770	100
PS 65	85	2,00	3,700	100
PS 70	90	0,10	0,200	500
PS 70	90	0,15	0,278	500

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 70	90	0,20	0,390	500
PS 70	90	0,25	0,490	250
PS 70	90	0,30	0,590	250
PS 70	90	0,50	0,990	200
PS 70	90	1,00	1,970	100
PS 70	90	1,20	2,650	100
PS 70	90	1,50	2,950	100
PS 70	90	2,00	3,940	50
PS 75	95	0,10	0,210	500
PS 75	95	0,15	0,269	500
PS 75	95	0,20	0,420	500
PS 75	95	0,25	0,520	250
PS 75	95	0,30	0,565	250
PS 75	95	0,50	0,981	100
PS 75	95	1,00	2,080	100
PS 75	95	1,20	2,890	100
PS 75	95	1,50	3,140	100
PS 75	95	2,00	4,180	100
PS 80	100	0,10	0,220	500
PS 80	100	0,15	0,330	500
PS 80	100	0,20	0,440	500
PS 80	100	0,25	0,560	250
PS 80	100	0,30	0,670	250
PS 80	100	0,50	1,110	100
PS 80	100	1,00	2,220	100
PS 80	100	1,20	2,660	100
PS 80	100	1,50	3,330	100
PS 80	100	2,00	4,440	50
PS 85	105	0,10	0,230	500
PS 85	105	0,15	0,350	500
PS 85	105	0,20	0,470	500
PS 85	105	0,25	0,510	250
PS 85	105	0,30	0,710	250
PS 85	105	0,50	1,170	100
PS 85	105	1,00	2,340	100
PS 85	105	1,20	2,780	50

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 85	105	1,50	3,230	50
PS 85	105	2,00	3,500	50
PS 90	110	0,10	0,200	500
PS 90	110	0,15	0,380	500
PS 90	110	0,20	0,490	500
PS 90	110	0,25	0,560	250
PS 90	110	0,30	0,740	250
PS 90	110	0,50	1,240	100
PS 90	110	1,00	2,470	100
PS 90	110	1,20	3,000	100
PS 90	110	1,50	3,710	100
PS 90	110	2,00	4,940	50
PS 95	115	0,10	0,260	500
PS 95	115	0,15	0,390	500
PS 95	115	0,20	0,520	500
PS 95	115	0,25	0,630	250
PS 95	115	0,30	0,780	250
PS 95	115	0,50	1,300	100
PS 95	115	1,00	2,590	100
PS 95	115	1,20	2,870	100
PS 95	115	1,50	3,880	50
PS 95	115	2,00	5,180	50
PS 100	120	0,10	0,270	500
PS 100	120	0,15	0,410	500
PS 100	120	0,20	0,502	500
PS 100	120	0,25	0,680	250
PS 100	120	0,30	0,800	250
PS 100	120	0,50	1,360	100
PS 100	120	1,00	2,720	100
PS 100	120	1,20	3,120	100
PS 100	120	1,50	4,080	100
PS 100	120	2,00	5,120	50
PS 100	125	0,1	0,350	250
PS 100	125	0,15	0,550	250
PS 100	125	0,20	0,690	250
PS 100	125	0,25	0,880	250

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 100	125	0,30	1,040	250
PS 100	125	0,50	1,730	100
PS 100	125	1,00	3,470	100
PS 105	130	0,10	0,360	250
PS 105	130	0,15	0,450	250
PS 105	130	0,20	0,640	250
PS 105	130	0,25	0,900	250
PS 105	130	0,30	1,080	250
PS 105	130	0,50	1,810	100
PS 105	130	1,00	3,620	100
PS 110	140	0,10	0,460	250
PS 110	140	0,15	0,700	250
PS 110	140	0,20	0,920	250
PS 110	140	0,25	1,320	250
PS 110	140	0,30	1,390	250
PS 110	140	0,50	2,310	100
PS 110	140	1,00	4,620	100
PS 120	150	0,10	0,500	100
PS 120	150	0,15	0,800	250
PS 120	150	0,20	1,000	250
PS 120	150	0,25	1,230	250
PS 120	150	0,30	1,500	250
PS 120	150	0,50	2,500	100
PS 120	150	1,00	5,000	100
PS 130	160	0,10	0,540	250
PS 130	160	0,15	0,900	250
PS 130	160	0,20	1,070	250
PS 130	160	0,25	1,240	250
PS 130	160	0,30	1,610	250
PS 130	160	0,50	2,680	100
PS 130	160	1,00	5,360	100
PS 140	170	0,10	0,570	250
PS 140	170	0,15	1,230	250
PS 140	170	0,20	1,150	250
PS 140	170	0,25	1,650	250
PS 140	170	0,30	1,720	250

Passscheiben nach DIN 988


Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 140	170	0,50	2,850	100
PS 140	170	1,00	5,730	100
PS 150	180	0,10	0,610	250
PS 150	180	0,15	1,000	250
PS 150	180	0,20	1,220	250
PS 150	180	0,25	1,790	250
PS 150	180	0,30	1,706	250
PS 150	180	0,50	3,050	100
PS 150	180	1,00	6,100	100
PS 110	140	0,25	1,320	250
PS 110	140	0,30	1,390	250
PS 110	140	0,50	2,310	100
PS 110	140	1,00	4,620	100
PS 120	150	0,10	0,500	100
PS 120	150	0,15	0,800	250
PS 120	150	0,20	1,000	250
PS 120	150	0,25	1,230	250
PS 120	150	0,30	1,500	250
PS 120	150	0,50	2,500	100
PS 120	150	1,00	5,000	100
PS 130	160	0,10	0,540	250
PS 130	160	0,15	0,900	250
PS 130	160	0,20	1,070	250
PS 130	160	0,25	1,240	250
PS 130	160	0,30	1,610	250
PS 130	160	0,50	2,680	100
PS 130	160	1,00	5,360	100
PS 140	170	0,10	0,570	250
PS 140	170	0,15	1,230	250
PS 140	170	0,20	1,150	250
PS 140	170	0,25	1,650	250
PS 140	170	0,30	1,720	250
PS 140	170	0,50	2,850	100
PS 140	170	1,00	5,730	100
PS 150	180	0,10	0,610	250
PS 150	180	0,15	1,000	250

Passscheiben nach DIN 988

Shim Washers DIN 988



Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	kg / %	
PS 150	180	0,20	1,220	250
PS 150	180	0,25	1,790	250
PS 150	180	0,30	1,706	250
PS 150	180	0,50	3,050	100
PS 150	180	1,00	6,100	100
PS 160	190	0,10	0,650	250
PS 160	190	0,15	1,120	250
PS 160	190	0,20	1,290	250
PS 160	190	0,25	1,650	250
PS 160	190	0,30	1,940	250
PS 160	190	0,50	3,230	100
PS 160	190	1,00	6,470	100
PS 170	200	0,10	0,690	250
PS 170	200	0,15	1,230	250
PS 170	200	0,20	1,370	250
PS 170	200	0,25	1,880	250
PS 170	200	0,30	2,060	250
PS 170	200	0,50	3,430	100
PS 170	200	1,00	6,850	100



**Passscheiben werden in DC01 C490,
blank, geölt geliefert.**

Washers are delivered in DC01 C490,
bright, oil dipped.