


Sicherungsmuttern DIN 7967

Securing Nuts DIN 7967



Sicherungsmuttern DIN 7967 brüniert


Securing Nuts DIN 7967 self finish



Ø D (mm)	Ø d (mm)	s (mm)	l ₀ (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	l ₀ (mm)	kg / %	
M 5					1.000
M 6	5,3	11,5	3,0		1.000
M 8	6,9	15,0	3,5		200
M 10	8,6	19,6	4,0	0,15	200
M 12	10,4	21,9	4,5	0,20	200
M 14	12,0	25,4	5,0		200
M 16	14,1	27,7	5,0	0,30	200
M 18	15,5	31,2	5,5		200
M 20	17,6	34,6	6,0		200
M 22	19,6	36,9	6,0		100
M 24	21,0	41,6	7,0	1,00	50
M 27	24,2	47,3	7,0	1,17	50
M 30	26,6	53,1	8,0		25
M 33					25
M 36	32,2	63,5	9,0		25

Sicherungsmuttern DIN 7967 verzinkt

Securing Nuts DIN 7967 zinc



Ø D (mm)	Ø d (mm)	s (mm)	l ₀ (mm)	kg / %	
Ø D (mm)	Ø d (mm)	s (mm)	l ₀ (mm)	kg / %	
M 5					1.000
M 6	5,3	11,5	3,0		200
M 8	6,9	15,0	3,5	0,08	200
M 10	8,6	19,6	4,0	0,14	200
M 12	10,4	21,9	4,5	0,20	200
M 14	12,0	25,4	5,0		200
M 16	14,1	27,7	5,0	0,32	250
M 18	15,5	31,2	5,5		250
M 20	17,6	34,6	6,0	0,59	250
M 22	19,6	36,9	6,0		100
M 24	21,0	41,6	7,0	0,98	100
M 27	24,2	47,3	7,0	1,25	100
M 30	26,6	53,1	8,0	1,63	50
M 33				2,30	25
M 36	32,2	63,5	9,0	2,79	25